



HDC-301MS

PCIe Mini Video/Audio Capture Card with One Channel HDMI Input, 1920x1080@30p, and H.264 Hardware Encoder



H.264 Hardware Encoder

Video Recording/Streaming



Features

- 1-channel HDMI input with H.264 hardware compression
- High quality video recording up to 1080p30
- Provides DirectShow filter
- Low power consumption
- Windows/Linux OS supported

Specifications

◆ Interface

Input	Video input channel	1 channel
	Video input type	HDMI
	Audio input channel	1 channel
	Audio input type	HDMI (stereo)

◆ PC Interface

Type	PCIe Mini
------	-----------

◆ Video Processing

Hardware Encoder	H.264/AVC High Profile Level 4.1	
Recording Datarate	Up to 30Mbps	
Video Input Resolution	1920 x 1080 24p/25p/30p/50p/60p	1280 x 1024 30p
	1920 x 1080 60i/59.94i/50i	1280 x 768 60p
	1280 x 800 60p	1024 x 768 60p
	1280 x 720 50p/60p	720 x 576 50p
	800 x 600 60p	640 x 480 60p
	720 x 480 60p	
Recording Formats	1920 x 1080 24p/25p/30p	1280 x 1024 30p
	1280 x 800 60p	1280 x 768 60p
	1280 x 720 50p/60p	1024 x 768 60p
	800 x 600 60p	720 x 576 50p
	720 x 480 60p	640 x 480 60p


◆ Audio Processing

Audio Sampling Frequencies	44.1k, 48k Hz
Audio Compression	MPEG4-AAC
Recording Datarate	128kbps

◆ System Requirement

System	Intel® Core™ 2 Duo 2.4GHz or above
Memory	2GB or more

Dimensions (Unit: mm)



◆ Software Support

OS Support	Microsoft Windows 7/8.1/10 (32-bit & 64-bit) Linux: Ubuntu 16.04 (64-bit) (Kernel version: 4.4.0-21-generic)
SDK	Windows: Provides SDK and demo program with sample source code Linux: Provides SDK and demo program with sample source code

◆ Functionality

Multiple Card Support	4 cards, 4 channels
Scaling	Video scaling down compression

◆ Others

Dimensions	51 mm x 30 mm
Operating Temperature	0°C ~ 60°C (32° ~ 140°F), non-condensing
Power Consumption	3W

Packing List

1 x HDC-301MS
1 x HDMI input cable
1 x QIG

Ordering Information

Part No.	Description
HDC-301MS-R10	PCIe Mini video/audio capture card with one channel HDMI input, 1920x1080@30p, and H.264 hardware encoder