





## Cables and Connectors *HDMI / SATA HDD / Serial Cable*





	HDMI Cable		SATA HDD Cable	
				
<b>Model Name</b>	<b>19B00-000403-00-RS</b>		<b>32801-000703-500-RS</b>	
Cable Type	HDMI Cable		SATA HDD cable	
Connector	HDMI 90°		SATA 7-pin	
Connector Type	HDMI		Lockable	
Length	35 cm		50 cm	

	SATA HDD Cable		
			
			
			
<b>Model Name</b>	<b>32801-000201-300-RS</b>		
Cable Type	SATA + Power cable		
Connector	SATA 7-pin + 2-pin wafer (P=2 mm)		
Connector Type	2-pin PH 2.0		
Length	SATA cable 15 cm Power cable 15 cm		
<b>Model Name</b>	<b>32801-000100-300-RS</b>		
Cable Type	SATA + Power cable		
Connector	SATA 7-pin + 4-pin wafer (P=2.54 mm)		
Connector Type	4-pin PH 2.54 mm		
Length	SATA cable 20 cm Power cable 20 cm		
<b>Model Name</b>	<b>32801-003706-100-RS</b>		
Cable Type	SATA + Power cable		
Connector	SATA 7-pin + 4-pin		
Connector Type			
Length	SATA cable 20 cm Power cable 10 cm		



	Serial cable		
			
			
			
<b>Model Name</b>	<b>19800-000300-100-RS</b>		
Cable Type	Serial port cable		
Board Side	10-pin (2x5) connector		
Board Side Pitch	2.0 mm		
Device Side	DE9M		
Bracket	Yes		
Length	30 cm		
<b>Model Name</b>	<b>19800-010900-200-RS</b>		
Cable Type	Serial port cable		
Board Side	10-pin (2x5) connector		
Board Side Pitch	2.54 mm		
Device Side	DE9M		
Bracket	Yes		
Length	50 cm		
<b>Model Name</b>	<b>19800-020100-100-RS</b>		
Cable Type	Serial port cable		
Board Side	2 x 10-pin (2x5) connector		
Board Side Pitch	2.54 mm		
Device Side	DE9M		
Bracket	Yes		
Length	23 cm		

Part numbers listed in the product catalog are for reference purposes. IEI reserves the right to implement substitution parts when the function is not affected.

# Cables and Connectors *Paralle / Serial Cable*




	Serial cable			
				
<b>Model Name</b>	<b>19800-003600-200-RS</b>	<b>19800-000200-100-RS</b>	<b>32205-000702-200-RS</b>	<b>32205-002700-200-RS</b>
Cable Type	Serial port cable	Serial port cable	Serial port cable	Serial port cable
Board Side	2 x 10-pin (2x5) connector	2 x 10-pin (2x5) connector	10-pin (2x5) connector	10-pin (2x5) connector
Board Side Pitch	2.54 mm	2.0 mm	2.54 mm	2.0 mm
Device Side	2 x DE9M	2 x DE9M	DE9M	DE9M
Bracket	Yes	Yes	No	No
Length	40 cm	30 cm	23 cm	20 cm




	Serial cable			
				 <b>New</b>
<b>Model Name</b>	<b>32205-001203-200-RS</b>	<b>19800-026400-100-RS</b>	<b>32205-003800-300-RS</b>	<b>32005-003500-200-RS</b>
Cable Type	Serial port cable	RS-232 & RS-422/485 cable	RS-422/485 cable	RS-232/422/485 cable
Board Side	40-pin (2x20) connector	14-pin (2x7) connector	4-pin (1x4) connector	1x 9pin (1x9) connector
Board Side Pitch	2.54 mm	2.0 mm	2.0 mm	1.25 mm
Device Side	4 x DE9M	2 x DE9M	DE9M	DE9M
Bracket	No	Yes	No	No
Length	40/40/40/40 cm	25 cm	20 cm	25 cm





	Paralle cable	
		
<b>Model Name</b>	<b>19800-000049-RS</b>	<b>32223-000700-100-RS</b>
Cable Type	Parallel port cable	Parallel port cable
Board Side	26-pin (2x13) connector	26-pin (2x13) connector
Board Side Pitch	2.54 mm	2.0 mm
Device Side	DB25F	DB25F
Bracket	Yes	No
Length	24 cm	28 cm

Part numbers listed in the product catalog are for reference purposes. IEI reserves the right to implement substitution parts when the function is not affected.

# Cables and Connectors *USB / Power Cable / Keyboard / Mouse Cable*

	USB cable		
			
<b>Model Name</b>	<b>32001-010800-200-RS</b>	<b>19800-000100-100-RS</b>	<b>CB-USB02-RS</b>
Cable type	USB cable	USB cable	USB cable
Board side	2 x 4-pin connector	2 x 8-pin (2x4) connector	2 x 4-pin (1x4) connector
Board side pitch	2.54 mm	2.54 mm	2.54 mm
Device side	2 x USB	4 x USB	2 x USB
Bracket	No	Yes	Yes
Length	20 cm	30 cm	30 cm

	USB cable			
				
<b>Model Name</b>	<b>CB-USB02A-RS</b>	<b>32001-002700-100-RS</b>	<b>32001-008600-200-RS</b>	<b>19800-010500-200-RS</b>
Cable type	USB cable	USB cable	USB cable	USB 3.0 Front Panel cable
Board side	1 x 8-pin (2x4) connector	1 x 8-pin (2x4) connector	1 x 8-pin (2x4) connector	1 x 20-pin (2x10) connector
Board side pitch	2.0 mm	2.54 mm	2.0 mm	2.0 mm
Device side	2 x USB	2 x USB	2 x USB	2 x USB
Bracket	Yes	No	No	Yes
Length	30 cm	21 cm	21 cm	45 cm

	Power cable	Keyboard / Mouse cable		
				
<b>Model Name</b>	<b>32100-087100-RS</b>	<b>19800-025700-100-RS</b>	<b>32006-000300-400-RS</b>	<b>32006-001100-201-RS</b>
Cable type	12V power cable	Y-Cable	Y-Cable	Y-Cable
Board side	1 x 4-pin (2x2) connector	1 x 6-pin (1x6) connector	1 x male PS/2	1 x 6-pin (1x6) connector
Board side pitch		2.0 mm		2.0 mm
Device side	2 x 4-pin (1x4) molex	2 x Female PS/2	2 x Female PS/2	2 x Female PS/2
Bracket	No	Yes	No	No
Length	13 cm	22 cm	12 cm (KB) + 14 (MS)	13 cm

Part numbers listed in the product catalog are for reference purposes. IEI reserves the right to implement substitution parts when the function is not affected.