
IEI Quick Mounting Technology



Compliant with VESA Mounting Standards

IEI panel solutions have four mounting holes compliant with the VESA (Video Electronics Standards Association) mounting standard (75mm x 75mm/100mm x 100mm) on the rear panel for stand mounting and other mounting methods.

>> Stand Mounting


VESA 75/100 Universal Stand





STAND-A21-R10



STAND-A21W-R10









Portrait/Landscape



Height Adjustment (13 cm)



Right/Left Pan (360°)




Forward/Backward Tilt (+25°/-5°)

Ordering Information

Part No.	Description
STAND-A21-R10	15"~21" VESA 75x75 mm/100x100 mm PPC/Monitor Stand, support from 6 KG to 12 KG, Black color, RoHS
STAND-A21W-R10	15"~21" VESA 75x75 mm/100x100 mm PPC/Monitor Stand, support from 6 KG to 12 KG, White color, RoHS



STAND-210



Ordering Information

Part No.	Description
STAND-210-R11	Support VESA 75/100 standard Weight capacity from 7kg~10kg



Ordering Information

Part No.	Description
STAND-C12-R10	5.7"~12.1" VESA 100x100mm, 75x75mm PPC/Monitor Stand, support up to 7.5kg, Black color, RoHS
STAND-C19-R10	15"~24" VESA 100x100mm, 75x75mm PPC/Monitor Stand, support up to 15kg, Black color, RoHS


DIN Rail Kit





VESA Multi-Mounting Stand

IEI patented multi-mounting V-Stand allows wall, ceiling, desk, rear and side mounting to meet diverse applications. Its 0° to 90° adjustable hinge design provides optimal viewing in various environments, such as kitchen, room or shelf.



Height adjustable and VESA 75/100 compliant mounting holes

Heat dissipation holes help to cool down the system

Features:

- 0° to 90° adjustable hinge design allows comfortable viewing
- Standard VESA 75/100 compliance
- · Heat dissipation holes
- Compact size, easy to use for mounting anywhere



VESA	Model
75 x 75mm	VSTAND-A07-R11
75 v 75 mm / 400 v 400 mm	VSTAND-A10-R11
75 x 75mm / 100 x 100mm	VSTAND-A12-R11

A. One fits all solution

The V-Stand is a compact and tilt adjustable mounting stand providing mobility and ergonomic comfort to fit common wall mounting and ceiling mounting situations.

B. 0° to 90° excellent adjustability

You can change the angle of the stand from 0° to 90° to reach almost any point with ergonomic features for comfortable viewing.










C. Space saving and easy installation












Ordering Information

Part No.	Description		
STAND-A07-R12	LCD monitor/PPC STAND V type for AFL series, VESA 75,0~90 degree adjustable hinge, support up to 2.5KG, Pov paint, RoHS		
VSTAND-A10-R12	LCD monitor/PPC STAND V type for AFL series, VESA 75/100,0~90 degree adjustable hinge, support up to 3KG, Powder paint, RoHS		
VSTAND-A12-R12	LCD monitor/PPC STAND V type for AFL series, VESA 75/100,0~90 degree adjustable hinge, support up to 3.5KG, Powder paint, RoHS		

ARM

VESA 75/100 Desk ARM

VESA	Model
75x75mm/100x100mm	ARM-11-RS
	ARM-31-RS



Ordering Information

Part No.	Description
ARM-11-RS	LCD Monitor / PPC ARM, VESA 75/100, 3kg~6kg, RoHS
ARM-31-RS	LCD Monitor / PPC ARM, VESA 75/100, 7kg~14kg, RoHS

Wall Mounting

VESA 75/100 Wall Mounting

VESA 75/100 Wall Mounting					
VESA	Model		6 0 2-	HATTE	X
75.475.00.00/400.0400.00.00	AFLWK-12				N/A
75x75mm/100x100mm	AFLWK-19B				
Secure the p fastening the screw of the	retention	SI III	4-610		
		AFLWK-12	4-Ø5.5	AFLWK-19B	DOM:

Ordering Information

Part No.	Description
AFLWK-12	5.6"~12" VESA 75x75mm PPC/Monitor Wall Mount Kit with Retention Screw, Silver color, RoHS
AFLWK-19B	15"~19" VESA 100x100mm PPC/Monitor Wall Mount Kit with Retention Screw, Silver color, RoHS